		(
	Application No.	Applicant(s)
	10/619,307	RUKAVINA ET AL.
	Examiner	Art Unit
: '	Terrence R. Till	1744
The MAILING DATE of this communication appea All claims being allowable, PROSECUTION ON THE MERITS IS (0 herewith (or previously mailed), a Notice of Allowance (PTOL-85) o NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIG of the Office or upon petition by the applicant. See 37 CFR 1.313 a	OR REMAINS) CLOSED in this r other appropriate communical HTS. This application is subjection	s application. If not included ation will be mailed in due course. THIS
1. X This communication is responsive to the amendment filed 4/	<u>/3/06</u> .	
2. 🔀 The allowed claim(s) is/are <u>1-5,7-21,23,24,26,30,32 and 33</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority und a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have be).
2. ☐ Certified copies of the priority documents have be		•
3. ☐ Copies of the certified copies of the priority documents have to	• •	
_ ,	iments have been received in	uns national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		eply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submitt INFORMAL PATENT APPLICATION (PTO-152) which gives		
5. CORRECTED DRAWINGS (as "replacement sheets") must	be submitted.	
(a) including changes required by the Notice of Draftsperso	n's Patent Drawing Review (P	TO-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's A Paper No./Mail Date	Amendment / Comment or in t	he Office action of
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the	4(c)) should be written on the de header according to 37 CFR 1.	rawings in the front (not the back) of 121(d).
 DEPOSIT OF and/or INFORMATION about the deposi attached Examiner's comment regarding REQUIREMENT FO 	t of BIOLOGICAL MATERIA OR THE DEPOSIT OF BIOLO	AL must be submitted. Note the GICAL MATERIAL.
	,	
		•
Attachment(s)	_	
1. Notice of References Cited (PTO-892)	. —	nal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summ	nary (PTO-413), I Date <u>20060601</u> .
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date		
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stat	tement of Reasons for Allowance
J. Biological material	9.	
·		
		•

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with J.

Moldovanyi on 6/1/06.

The application has been amended as follows:

In claim 7, after line 4, the following new line has been inserted:

--a source of suction carried by the casing--.

In claim 7, line 7, which recited "a source of suction carried by the casing" has been

deleted.

2. The following is an examiner's statement of reasons for allowance: With respect to claim

7, the prior art does not disclose nor render obvious the claimed combination of subject matter.

particularly an outlet port defined on the casing for outlet air exiting the source of suction; an

exhaust grill defined on the casing in spaced manner from the outlet port and a control member

which selectively directs the outlet air to the outlet port or to the exhaust grill. With respect to

claim 18, the prior art does not disclose nor render obvious the claimed combination of subject

matter, particularly a casing selectively mounted to the receptacle, the casing forming a drawer

of the receptacle such that an exterior wall of the casino defines a wall of the receptacle. The

Art Unit: 1744

prior art to Slone, alone or combined with any other prior art device does not render obvious the above claim limitation.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Terrence R. Till whose telephone number is (571) 272-1280. The examiner can normally be reached on Mon. through Thurs. and every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gladys P. Corcoran can be reached on (571) 272-1214. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Terrence R. Till
Primary Examiner
Art Unit 1744